

T: 0131-244-2528
E: irene.fazakerley@gov.scot

IMMEDIATE MESSAGE TO:

1. Directors of Pharmacy
2. Medical Directors NHS Boards

30 October 2019

Dear Healthcare Professional,

**DRUG ALERT CLASS 2 MEDICINES RECALL NO 31 2019 ACTION WITHIN 48 HOURS
B BRAUN LTD NUTRIFLEX OMEGA PLUS 1250ML, 1875ML AND 2500ML AND
NUTRIFLEX OMEGA SPECIAL 625ML, 1250ML, 1875ML AND 2500ML**

Please see the attached drug alert for onward transmission as below.

Could all Directors of Pharmacy please forward this alert to:-

- Hospital Pharmacists

Please could Medical Directors forward this alert to:-

- General Practitioners
- Accident & Emergency Departments
- Directors of Public Health
- Relevant Clinics
- Chief Executives of NHS Board

Thank you for your co-operation.

Yours sincerely

IRENE FAZAKERLEY
Medicines Policy Team



Medicines & Healthcare products
Regulatory Agency

DRUG ALERT

CLASS 2 MEDICINES RECALL

Action Within 48 Hours

Hospital Pharmacy, Home Care Provider and Wholesaler Level Recall

Date: 30 October 2019

EL (19)A/31

Our Ref: MDR 109-10/19

Dear Healthcare Professional,

B. Braun Medical Limited

**Nutriflex Omega Plus 1250ml, 1875ml and
2500ml**

PL 03551/0119

**Nutriflex Omega Special 625ml, 1250ml, 1875ml
and 2500ml**

PL 03551/0118

See Appendix 1 for tables showing potentially affected
batches.

**Supplemented Product codes ASNSPOMCA,
ASNSPOMSVVA, ASNPLOMCA, ASNPLOMSVVA
(625ml, 1250ml, 1875ml 2500ml)**

See Appendix 2 for a table showing potentially affected
batches

Brief description of the problem

B Braun is initiating a recall of certain batches of the above products as a precautionary measure. This is because ongoing product monitoring has identified that some bags may not comply with the required specification throughout the product shelf-life.

Some unlicensed products have been manufactured by adding supplements to potentially affected Nutriflex Omega Plus and Nutriflex Omega Special bags, therefore certain batches of supplemented products are also being recalled.



Advice for healthcare professionals

Please check your inventory for the listed batches of both licensed and unlicensed products and quarantine and discontinue use of any affected stock immediately. Please return affected stock to your supplier using your suppliers approved process.

Company contacts for further information

For licensed stock returns please contact Catherine Clulow on 0114 225 9155, email productcomplaints.bbmuk@bbraun.com

For further information on licensed stock please contact Niki Bench, Product Manager, Clinical Nutrition on 07808 716064, email niki.bench@bbraun.com

For unlicensed specials stock control and unlicensed specials stock returns enquires please contact Adam Rose, BBCAPS Quality Manager on 01142259130, email adam.rose@bbraun.com

Recipients of this Drug Alert should bring it to the attention of relevant contacts by copy of this letter.

Yours faithfully

**Defective Medicines Report Centre
10 South Colonnade
Canary Wharf
London
E14 4PU
Telephone +44 (0)20 3080 6574**



Appendix 1: Tables of affected batches, licensed products

Nutriflex Omega Plus

Material Number	Batch	Date of Manuf.	Expiry Date	First Distributed
3628191 (1250ml)	181448051	05/04/2018	31/03/2020	05/11/2018
3636003 (1875ml)	174648051	16/11/2017	31/10/2019	04/05/2018
3636003 (1875ml)	180618052	05/02/2018	31/01/2020	21/06/2018
3636003 (1875ml)	182128051	22/05/2018	30/04/2020	20/09/2018
3636003 (1875ml)	183248051	09/08/2018	31/07/2020	26/10/2018
3636003 (1875ml)	183838052	19/09/2018	31/08/2020	11/12/2018
3636003 (1875ml)	184358051	26/10/2018	30/09/2020	21/12/2018
3636003 (1875ml)	190448051	24/01/2019	31/12/2020	29/07/2019
3636003 (1875ml)	191158051	15/03/2019	28/02/2021	04/09/2019
3636011 (2500ml)	174648052	16/11/2017	31/10/2019	15/05/2018
3636011 (2500ml)	181348051	29/03/2018	29/02/2020	15/08/2018
3636011 (2500ml)	182138052	23/05/2018	30/04/2020	10/09/2018
3636011 (2500ml)	190428052	22/01/2019	31/12/2020	02/07/2019



Appendix 1: Tables of affected batches, licensed products cont.

Nutriflex Omega Special

Material Number	Batch	Date of Manuf.	Expiry Date	First Distributed
3636038 (625ml)	180638052	07/02/2018	31/01/2020	27/03/2018
3636038 (625ml)	181338051	28/03/2018	29/02/2020	22/06/2018
3636038 (625ml)	182148051	24/05/2018	30/04/2020	05/09/2018
3636038 (625ml)	183528051	28/08/2018	31/07/2020	29/11/2018
3636038 (625ml)	184748051	22/11/2018	31/10/2020	21/02/2019
3636038 (625ml)	190638052	06/02/2019	31/01/2021	26/04/2019
3636038 (625ml)	191438051	03/04/2019	31/03/2021	15/07/2019
3636054 (1250ml)	180148051	04/01/2018	31/12/2019	29/03/2018
3636054 (1250ml)	180638051	07/02/2018	31/01/2020	04/05/2018
3636054 (1250ml)	182148051	24/05/2018	30/04/2020	16/11/2018
3636054 (1250ml)	183538051	29/08/2018	31/07/2020	22/01/2019
3636054 (1250ml)	190538051	30/01/2019	31/12/2020	18/07/2019
3636070 (1875ml)	174638051	15/11/2017	31/10/2019	27/02/2018
3636070 (1875ml)	174938051	06/12/2017	30/11/2019	29/05/2018
3636070 (1875ml)	175148051	21/12/2017	30/11/2019	20/03/2018
3636070 (1875ml)	180638052	07/02/2018	31/01/2020	08/05/2018
3636070 (1875ml)	181528051	10/04/2018	31/03/2020	24/08/2018
3636070 (1875ml)	182358051	08/06/2018	31/05/2020	19/09/2018
3636070 (1875ml)	183628051	04/09/2018	31/08/2020	23/10/2018
3636070 (1875ml)	184648051	15/11/2018	31/10/2020	10/12/2018
3636070 (1875ml)	190228051	08/01/2019	31/12/2020	11/02/2019
3636070 (1875ml)	190238051	09/01/2019	31/12/2020	19/03/2019
3636070 (1875ml)	190538051	30/01/2019	31/12/2020	15/04/2019
3636070 (1875ml)	191038051	06/03/2019	28/02/2021	29/04/2019
3636070 (1875ml)	191348052	28/03/2019	28/02/2021	28/06/2019
3636097 (2500ml)	180858051	23/02/2018	31/01/2020	03/07/2018
3636097 (2500ml)	182448051	14/06/2018	31/05/2020	16/08/2018



Appendix 2 Table of affected batches, unlicensed supplemented products manufactured from Nutriflex Omega products.

Material	Batch	Date of Manufacture	Expiry
ASNSPOM1875SVA	19401F0451	30/09/2019	30/10/2019
ASNSPOM1875CA	19401F0452	30/09/2019	30/10/2019
ASNSPOM1875CA	19401F0453	30/09/2019	30/10/2019
ASNSPOM1875CA	19401F0457	30/09/2019	30/10/2019
ASNSPOM625SVA	19401F0458	30/09/2019	30/10/2019
ASNSPOM1875CA	19402F0010	01/10/2019	31/10/2019
ASNSPOM1875CA	19403F0025	02/10/2019	01/11/2019
ASNSPOM1875CA	19403F0026	02/10/2019	01/11/2019
ASNSPOM1875SVA	19403F0031	02/10/2019	01/11/2019
ASNSPOM1875SVA	19403F0032	02/10/2019	01/11/2019
ASNPLOM1875CA	19404F0057	03/10/2019	02/11/2019
ASNSPOM1250CA	19405F0062	04/10/2019	03/11/2019
ASNSPOM1875CA	19405F0070	04/10/2019	03/11/2019
ASNSPOM1875CA	19411F0085	07/10/2019	06/11/2019
ASNSPOM1875CA	19411F0086	07/10/2019	06/11/2019
ASNPLOM1875CA	19411F0087	07/10/2019	06/11/2019
ASNSPOM1875CA	19411F0088	07/10/2019	06/11/2019
ASNSPOM1875SVA	19411F0089	07/10/2019	06/11/2019
ASNPLOM2500SVA	19411F0103	07/10/2019	06/11/2019
ASNSPOM1875CA	19411F0106	07/10/2019	06/11/2019